

# Fast, safe and complete removal of plastic and other organic contaminations from metal parts and tools






#### OPERATING PRINCIPLE

INNOVACLEAN removes all organic contamination including halogenated polymers from heat resistant metal parts by thermal decomposition in a fluidized bed.

Cleaning time: 1 – 4 h


INDIRECTLY ELECTRIC HEATED





INNOVACLEAN ECO1





#### FLUIDIZED BED CLEANING PROCESS



Loading in hot system

DECOMPOSING of contamination and CLEANING

Unloading

Post treatment

## APPLICATIONS

The most common pieces for cleaning are dies and parts out of the plastics and fiber industry:

- Synthetic fiber and nonwovens
- Polymer production
- Masterbatch production
- Injection moulding
- Extrusion



#### ADVANTAGES

- Very short cleaning time
- Suitable for all organic resins and polymers (incl. PVC, PTFE, PEEK...)
- Outstanding flexibility
- Perfect cleaning results even inside assembled dies or parts that are highly complex
- Free from carbon residues
- Precise temperature control
- No risk of overheating or distortion
- Perfect off-gas cleaning by optional thermal afterburner and scrubber for halogens
- No organic disposals

#### TYPICAL COMPONENTS

Fluidized bed systems are especially recommended for:


- Spinnerets, assembled spin packs
- Special profile dies
- Pelletizing dies
- Breaker plates
- Hot runners
- Extruder screws, screw elements
- Static mixers
- Starters, alternators, pumps, engines

▶ WWW.THERMAL-CLEANING.COM

#### FAST, SAFE, EFFECTIVE AND GREEN

#### TYPICAL POLYMERS

- Halogenated Polymers: PVC, PTFE
- Polysulfides and Polysulfones: PPS, PSU
- Polyetherketones: PAE, PEK, PEEK
- Polyamides: PA6, PA6.6, PA12, PPA
- Polyesters: PET, PBT, PC, PTT, PEN
- Polyolefins: PE, HDPE, PP, PB, EVA, EVOH
- Polyacrylates: PAN, PBA, PMA, PMMA
- Polystyrenes: PS, ABS, SB, SBS, SAN
- Biopolymers: PLA, PEA, PVAL, PPOX
- Polyimides: PI, PBI, PEI, PBO, PMI
- Polyurethanes: PUR, TPA, TPO, TPU
- Other polymers on request



German Art of Engineering since 1969



#### ACCESSORIES

Depending on the cleaning application a variety of customized accessories and post treatment systems are optionally offered:

CHANN

Thermal afterburner systems & scrubbers



Shot blasting systems

High pressure cleaning equiment





Ultrasonic & rinse units

SCHWING

Quality inspection systems



### TECHNICAL DATA OF STANDARD SIZES

INNOVACLEAN	Loading basket (inner dimensions)	Maximum loading	Organic load <sup>1)</sup>	Power	Utility consumption Gas Comp air			Water	Total dimensions
Model	L x W/D x H [inch]	[lbs]	[lbs/h]	[kW]	[SCFM]	[kBTU/h]	[SCFM]	[gal/h]	L x W x H [feet]
ECO1	8 x 8 x 12	35	0-6	6	_	_	9	1	3 x 3 x 3
ECO3	27 x 8 x 12	108	0-6	10	-	_	25	3	5 x 3 x 3
1540	12 x 34	192	0-6	14	_	-	17	2	4 x 4 x 5
2040	15 x 34	295	0-6	24	—	-	26	3	4 x 4 x 5
2448	19 x 41	496	0 - 15	42	-	-	38	4	5 x 4 x 6
3248	26 x 41	888	0 - 22	63	—	_	68	196 <sup>2)</sup>	5 x 6 x 7
3648	30 x 41	1,113	0 - 22	63	-	-	81	245 <sup>2)</sup>	6 x 6 x 7
with integrated thermal afterburner									
ECO3-INB	27 x 8 x 12	108	0-6	11	1	68	25	3	6 x 5 x 5
1540-INB	12 x 34	192	0-6	15	2	119	50	-	6 x 7 x 8
2040-INB	15 x 34	295	0-6	20	2	119	59	-	7 x 7 x 8
2448-INB	19 x 41	496	0 - 15	28	2	119	70	-	7 x 7 x 8
3248-INB	26 x 41	888	0 - 22	72	8	410	181	-	10 x 14 x 9
3648-INB	30 x 41	1,113	0 - 22	72	8	410	198	-	10 x 14 x 9

<sup>1)</sup> Depending on capacity of thermal afterburner and type of organic / plastic contamination.

 $^{\scriptscriptstyle 2)}$  [lbs/h] – INNOVACLEAN 3248 and 3648 operate with steam inertization.

The data and illustrations in this brochure refer to the date of printing. All data are approximate. SCHWING reserves the right to make any necessary changes at any time and without special notice.

#### German Art of Engineering since 1969



SCHWING Technologies North America Inc.

300 Carnegie Center Drive, Suite 150 Princeton, NJ 08540 · USA

Phone: +1 609 786-2404

E-mail: info@schwing-tech.com www.thermal-cleaning.com

Visit us on: 🚯 😏 🗓

Information distributed by:

٦